ELSEVIER

Molecular Brain Research 87 (2001) 280–281

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Abe, H., Honma, S., Namihira, M., Masubuchi, S., Ikeda, M., Ebihara, S. and Honma, K.-i.
Clock gene expressions in the suprachiasmatic nucleus and other areas of the brain during rhythm splitting in CS mice (87) 92
Ahn, K.Y., see Koh, J.T. (87) 223
Andrews, P., see Brandoli, C. (87) 61
Ay, I., Sugimori, H. and Finklestein, S.P.
Intravenous basic fibroblast growth factor (bFGF) decreases DNA fragmentation and prevents downregulation of Bcl-2 expression in the ischemic brain following middle cerebral artery occlusion in rats (87) 71
Ayestas, M., see Pepper, J.-P. (87) 184

Bae, C.S., see Koh, J.T. (87) 223
Baumann, M.H., see Pepper, J.-P. (87) 184
Berezovska, O., see Jack, C. (87) 166
Bever, C.T., see Li, Q.Q. (87) 48
Bisogno, T., see Matias, I. (87) 145
Bondada, S., see Culmsee, C. (87) 257
Brandoli, C., Shi, B., Pflug, B., Andrews, P., Wrathall, J.R. and Mocchetti, I.
Dexamethasone reduces the expression of p75 neurotrophin receptor and apoptosis in contused spinal cord (87) 61
Breton, C., see Matias, I. (87) 145
Brown, E.M., see Chattopadhyay, N. (87) 100
Butters, R.R., see Chattopadhyay, N. (87) 100

Chattopadhyay, N., Butters, R.R. and Brown, E.M.
Agonists of the retinoic acid- and retinoid X-receptors inhibit hepatocyte growth factor secretion and expression in U87 human astrocytoma cells (87) 100
Cho, S., Chung, J.-J., Choe, Y., Choi, H.-S., Han Kim, D., Rhee, K. and Kim, K.
A functional retinoic acid response element (RARE) is present within the distal promoter of the rat gonadotropin-releasing hormone (GnRH) gene (87) 204
Cho, S., Chung, J.-J., Han, J., Ju Lee, B., Han Kim, D., Rhee, K. and Kim, K.
9-*cis*-Retinoic acid represses transcription of the gonadotropin-releasing hormone (GnRH) gene via proximal promoter region that is distinct from all-*trans*-retinoic acid response element (87) 214
Choe, Y., see Cho, S. (87) 204
Choi, H.-S., see Cho, S. (87) 204
Chung, J.-J., see Cho, S. (87) 204
Chung, J.-J., see Cho, S. (87) 214
Colombo, G., see Saba, L. (87) 263
Congeddu, E., see Saba, L. (87) 263
Culmsee, C., Bondada, S. and Mattson, M.P.
Hippocampal neurons of mice deficient in DNA-dependent protein kinase exhibit increased vulnerability to DNA damage, oxidative stress and excitotoxicity (87) 257

De La Garza II, R., see Miller, G.M. (87) 124
Denisenko-Nehrbass, N.I. and Mello, C.V.
Molecular targets of disulfiram action on song maturation in zebra finches (87) 246
De Petrocellis, L., see Matias, I. (87) 145
Di Marzo, V., see Matias, I. (87) 145
Doyu, M., Sawada, K.-i., Mitsuma, N., Niwa, J.-i., Yoshimoto, M., Fujii, Y., Sobue, G. and Kato, K.
Gene expression profile in Alzheimer's brain screened by molecular indexing (87) 1
Duncan, M.J., Herron, J.M. and Hill, S.A.
Aging selectively suppresses vasoactive intestinal peptide messenger RNA expression in the suprachiasmatic nucleus of the Syrian hamster (87) 196

Ebihara, S., see Abe, H. (87) 92
Eschrich, K., see Kessler, R. (87) 190
Eto, T., see Kobayashi, H. (87) 175

Finklestein, S.P., see Ay, I. (87) 71
Forstreuter, F., see Held-Feindt, J. (87) 12
Fujii, Y., see Doyu, M. (87) 1

Gessa, G.L., see Saba, L. (87) 263
Goulet, M., see Miller, G.M. (87) 124
Guan, Z., Lu, L., Zheng, Z., Liu, J., Yu, F., Lü, S., Xin, Y., Liu, X., Hong, J. and Zhang, W.
A spontaneous recurrent seizure-related *Rattus NSF* gene identified by linker capture subtraction (87) 117

Hampson, D.R., see Wong, C.G.-T. (87) 109
Han, J., see Cho, S. (87) 214
Han Kim, D., see Cho, S. (87) 204
Han Kim, D., see Cho, S. (87) 214
Hayashi, S., see Kataoka, Y. (87) 42
Hayashi, S., see Kataoka, Y. (87) 42
Heape, A.M., see Kursula, P. (87) 22
Held-Feindt, J., Forstreuter, F., Pufe, T. and Mentlein, R.
Influence of the somatostatin receptor sst2 on growth factor signal cascades in human glioma cells (87) 12
Helke, C.J., see Lee, P.-G. (87) 31
Herron, J.M., see Duncan, M.J. (87) 196
Hill, S.A., see Duncan, M.J. (87) 196
Hinuma, S., see Kataoka, Y. (87) 42
Hong, J., see Guan, Z. (87) 117
Honjo, H., see Kataoka, Y. (87) 42
Honma, K.-i., see Abe, H. (87) 92
Honma, S., see Abe, H. (87) 92
Hurley, M.J., Mash, D.C. and Jenner, P.
Dopamine D_1 receptor expression in human basal ganglia and changes in Parkinson's disease (87) 271
Hyman, B.T., see Jack, C. (87) 166
Hyman, B.T., see Rebeck, G.W. (87) 238

Ibata, Y., see Kataoka, Y. (87) 42
Iijima, N., see Kataoka, Y. (87) 42
Ikeda, M., see Abe, H. (87) 92

Jack, C., Berezovska, O., Wolfe, M.S. and Hyman, B.T.
Effect of PS1 deficiency and an APP γ-secretase inhibitor on Notch1 signaling in primary mammalian neurons (87) 166
Jenner, P., see Hurley, M.J. (87) 271
Ju Lee, B., see Cho, S. (87) 214

Kakihara, K., see Kataoka, Y. (87) 42
Kataoka, Y., Iijima, N., Yano, T., Kakihara, K., Hayashi, S., Hinuma, S., Honjo, H., Hayashi, S., Tanaka, M. and Ibata, Y.
Gonadal regulation of PrRP mRNA expression in the nucleus tractus solitarius and ventral and lateral reticular nuclei of the rat (87) 42

0169-328X/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(01)00056-0

Kato, K., see Doyu, M. (87) 1
Kee, H.J., see Koh, J.T. (87) 223
Kessler, R. and Eschrich, K.
Splice isoforms of ubiquitous 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase in human brain (87) 190
Khan, N., see Roberts, D.J. (87) 81
Kim, H.-H., see Koh, J.T. (87) 223
Kim, J.K., see Koh, J.T. (87) 223
Kim, K., see Cho, S. (87) 204
Kim, K., see Cho, S. (87) 214
Kim, K.K., see Koh, J.T. (87) 223
Kitamura, K., see Kobayashi, H. (87) 175
Kobayashi, H., Yamamoto, R., Kitamura, K., Kuwasako, K., Minami, S.-i., Yanagita, T., Shiraishi, S., Yokoo, H., Eto, T. and Wada, A.
Selective inhibition of nicotinic cholinergic receptors by proadrenomedullin N-terminal 12 peptide in bovine adrenal chromaffin cells (87) 175
Koh, J.T., Lee, Z.H., Ahn, K.Y., Kim, J.K., Bae, C.S., Kim, H.-H., Kee, H.J. and Kim, K.K.
Characterization of mouse brain-specific angiogenesis inhibitor 1 (BAI1) and phytanoyl-CoA alpha-hydroxylase-associated protein 1, a novel BAI1-binding protein (87) 223
Kursula, P., Lehto, V.-P. and Heape, A.M.
The small myelin-associated glycoprotein binds to tubulin and microtubules (87) 22
Kuwasako, K., see Kobayashi, H. (87) 175

Lee, P.-G., Zhuo, H. and Helke, C.J.
Axotomy alters neurotrophin and neurotrophin receptor mRNAs in the vagus nerve and nodose ganglion of the rat (87) 31
Lee, Z.H., see Koh, J.T. (87) 223
Lehto, V.-P., see Kursula, P. (87) 22
Li, Q.Q. and Bever, C.T.
Glatiramer acetate blocks interleukin-1-dependent nuclear factor-κB activation and RANTES expression in human U-251 MG astroglial cells (87) 48
Liu, I.S.C., see Tallerico, T. (87) 160
Liu, J., see Guan, Z. (87) 117
Liu, X., see Guan, Z. (87) 117
Lu, L., see Guan, Z. (87) 117
Lü, S., see Guan, Z. (87) 117

Madras, B.K., see Miller, G.M. (87) 124
Maekawa, K., Tanimoto, T., Okada, S., Suzuki, T., Suzuki, T. and Yabe-Nishimura, C.
Expression of aldose reductase and sorbitol dehydrogenase genes in Schwann cells isolated from rat: effects of high glucose and osmotic stress (87) 251
Mash, D.C., see Hurley, M.J. (87) 271
Masubuchi, S., see Abe, H. (87) 92
Matias, I., Bisogno, T., Melck, D., Vandenbulcke, F., Verger-Bocquet, M., De Petrocellis, L., Sergheraert, C., Breton, C., Di Marzo, V. and Salzet, M.
Evidence for an endocannabinoid system in the central nervous system of the leech *Hirudo medicinalis* (87) 145
Mattson, M.P., see Culmsee, C. (87) 257
McDonald, R.L., see Roberts, D.J. (87) 81
Melck, D., see Matias, I. (87) 145
Mello, C.V., see Denisenko-Nehrbass, N.I. (87) 246
Mentlein, R., see Held-Feindt, J. (87) 12
Miller, G.M., Yatin, S.M., De La Garza II, R., Goulet, M. and Madras, B.K.
Cloning of dopamine, norepinephrine and serotonin transporters from monkey brain: relevance to cocaine sensitivity (87) 124
Minami, S.-i., see Kobayashi, H. (87) 175
Mitsuma, N., see Doyu, M. (87) 1
Mocchetti, I., see Brandoli, C. (87) 61
Moir, R.D., see Rebeck, G.W. (87) 238
Mui, S., see Rebeck, G.W. (87) 238

Namihira, M., see Abe, H. (87) 92
Niwa, J.-i., see Doyu, M. (87) 1
Novak, G., see Tallerico, T. (87) 160

Okada, S., see Maekawa, K. (87) 251

Pani, L., see Saba, L. (87) 263
Peers, C., see Roberts, D.J. (87) 81
Peis, M., see Saba, L. (87) 263
Pepper, J.-P., Baumann, M.H., Ayestas, M. and Rothman, R.B.
Inhibition of MAO-A fails to alter cocaine-induced increases in extracellular dopamine and norepinephrine in rat nucleus accumbens (87) 184
Pflug, B., see Brandoli, C. (87) 61
Pistis, M., see Saba, L. (87) 263
Porcella, A., see Saba, L. (87) 263
Pufe, T., see Held-Feindt, J. (87) 12

Rebeck, G.W., Moir, R.D., Mui, S., Strickland, D.K., Tanzi, R.E. and Hyman, B.T.
Association of membrane-bound amyloid precursor protein APP with the apolipoprotein E receptor LRP (87) 238
Rhee, K., see Cho, S. (87) 204
Rhee, K., see Cho, S. (87) 214
Roberts, D.J., Khan, N., McDonald, R.L., Webster, N.J., Peers, C. and Vaughan, P.F.T.
Inhibition of depolarisation-evoked [^{3}H]noradrenaline release from SH-SY5Y human neuroblastoma cells by muscarinic (M1) receptors is not mediated by changes in $[Ca^{2+}]_i$ (87) 81
Rothman, R.B., see Pepper, J.-P. (87) 184

Saba, L., Porcella, A., Congeddu, E., Colombo, G., Peis, M., Pistis, M., Gessa, G.L. and Pani, L.
The R100Q mutation of the $GABA_A$ α_6 receptor subunit may contribute to voluntary aversion to ethanol in the sNP rat line (87) 263
Salzet, M., see Matias, I. (87) 145
Sawada, K.-i., see Doyu, M. (87) 1
Scherer, S.W., see Wong, C.G.-T. (87) 109
Seeman, P., see Tallerico, T. (87) 160
Sergheraert, C., see Matias, I. (87) 145
Shi, B., see Brandoli, C. (87) 61
Shiraishi, S., see Kobayashi, H. (87) 175
Snead III, O.C., see Wong, C.G.-T. (87) 109
Sobue, G., see Doyu, M. (87) 1
Strickland, D.K., see Rebeck, G.W. (87) 238
Sugimori, H., see Ay, I. (87) 71
Suzuki, T., see Maekawa, K. (87) 251
Suzuki, T., see Maekawa, K. (87) 251

Tallerico, T., Novak, G., Liu, I.S.C., Ulpian, C. and Seeman, P.
Schizophrenia: elevated mRNA for dopamine $D2_{Longer}$ receptors in frontal cortex (87) 160
Tanaka, M., see Kataoka, Y. (87) 42
Tanimoto, T., see Maekawa, K. (87) 251
Tanzi, R.E., see Rebeck, G.W. (87) 238

Ulpian, C., see Tallerico, T. (87) 160

Vandenbulcke, F., see Matias, I. (87) 145
Vaughan, P.F.T., see Roberts, D.J. (87) 81
Verger-Bocquet, M., see Matias, I. (87) 145

Wada, A., see Kobayashi, H. (87) 175
Webster, N.J., see Roberts, D.J. (87) 81
Wolfe, M.S., see Jack, C. (87) 166
Wong, C.G.-T., Scherer, S.W., Snead III, O.C. and Hampson, D.R.
Localization of the human mGluR4 gene within an epilepsy susceptibility locus (87) 109
Wrathall, J.R., see Brandoli, C. (87) 61

Xin, Y., see Guan, Z. (87) 117

Yabe-Nishimura, C., see Maekawa, K. (87) 251
Yamamoto, R., see Kobayashi, H. (87) 175
Yanagita, T., see Kobayashi, H. (87) 175
Yano, T., see Kataoka, Y. (87) 42
Yatin, S.M., see Miller, G.M. (87) 124
Yokoo, H., see Kobayashi, H. (87) 175
Yoshimoto, M., see Doyu, M. (87) 1
Yu, F., see Guan, Z. (87) 117

Zhang, W., see Guan, Z. (87) 117
Zheng, Z., see Guan, Z. (87) 117
Zhuo, H., see Lee, P.-G. (87) 31